

INTERACTIVE INFERENCE UNDER INFORMATION CONSTRAINTS

BY JAYADEV ACHARYA^{1,*}, CLÉMENT L. CANONNE² YUHAN LIU^{1,†} ZITENG SUN^{1,‡} AND HIMANSHU TYAGI³

¹Cornell University, *acharya@cornell.edu; †yl2976@cornell.edu; ‡zs335@cornell.edu

²IBM Research, ccanonne@cs.columbia.edu

³Indian Institute of Science, htyagi@iisc.ac.in

We consider distributed inference using sequentially interactive protocols. We obtain lower bounds for the minimax sample complexity of interactive protocols under *local information constraints*, a broad family of resource constraints which captures communication constraints, local differential privacy, and noisy binary queries as special cases. We focus on the inference tasks of learning (density estimation) and identity testing (goodness-of-fit) for discrete distributions under total variation distance, and establish general lower bounds that take into account the local constraints modeled as a channel family. Our main technical contribution is an approach to handle the correlation that builds due to interactivity and quantifies how effectively one can exploit this correlation in spite of the local constraints. Using this, we characterize the optimal sample complexity of learning and testing discrete distributions under total variation distance, for both communication and local differential privacy constraints, in a unified manner. Finally, we provide the first instance of a natural family local constraints under which interactive protocols strictly outperform the noninteractive ones for distribution testing.

1. Introduction. Classic statistics focuses on algorithms that are data-efficient. Recent years have seen revived interest in a different set of constraints for distributed statistics: local constraints on the amount of *information* that can be extracted from each data point. These local constraints can be communication constraints, where each data point must be expressed using a fixed number of bits; privacy constraints, where each user holding a sample seeks to reveal as little as possible about it; and many others, such as noisy communication channels, limited types of measurements, or quantization schemes. Our focus in this work is on statistical inference under such local constraints, when interactive protocols are allowed.

We study the strengths and limitations of interactivity for statistical inference under local information constraints for two fundamental inference tasks for discrete distributions: *learning* (density estimation) and *identity testing* (goodness-of-fit) under total variation distance. For these tasks, prior work gives a good understanding of the number of samples needed in noninteractive setting, including a precise dependence on the information constraints under consideration. However, the following question remains largely open:

Does adaptivity help for learning and testing in total variation distance when the data is subject to local information constraints, and, if so, for which type of constraints?

In this work, we resolve this question by establishing lower bounds that hold for general channel families (modeling local information constraints). We show that interaction does not help for learning and testing under communication constraints or local privacy constraints. Several prior works have claimed a subset of these results, but we exhibit technical gaps in most of them (with the important exceptions of [Amin, Joseph and Mao \[10\]](#) and [Berrett and](#)

MSC2020 subject classifications: Primary 62G07, 62G10; secondary 68P27

Keywords and phrases: ???, ???

Butucea [15], which both obtain a tight bound for testing under local privacy constraints). These gaps stem from the difficulty in handling the correlation that builds due to interaction. Our lower bound explicitly handles this correlation and is based on examining how effectively one can exploit this correlation in spite of the local constraints. Furthermore, our lower bounds allow us to identify a family of channels for which interaction strictly helps in identity testing, establishing the first separation between interactive and noninteractive protocols for distributed goodness-of-fit.

1.1. *The setting.* We now describe the general framework of distributed inference under local information constraints and then specialize it to two canonical tasks: estimation and testing.




FIG 1. *The information-constrained distributed model. In the private-coin setting the channels W_1, \dots, W_n are independent, while in the public-coin setting they are jointly randomized, and in the interactive setting W_t can also depend on the previous messages Y_1, \dots, Y_{t-1} (dotted, upwards arrows).*

The general setting is captured in Figure 1. There are n users, each of which observes an independent sample from an unknown distribution \mathbf{p} over $[2k] = \{1, 2, \dots, 2k\}$.¹ Each user is constrained in the amount of information they can reveal about their input. This constraint for user t is described by a channel $W_t: [2k] \rightarrow \mathcal{Y}$, which is a randomized function from $[2k]$ to the message space \mathcal{Y} .² In general, we will consider a set of channels \mathcal{W} from which each user’s channel must be selected; this family of “allowed channels” models the local information constraints under consideration. This is a very general setting, which captures communication and local privacy constraints as special cases, as we elaborate next.

Communication constraints. Let $\mathcal{W}_\ell := \{W: [2k] \rightarrow \{0, 1\}^\ell\}$ be the set of channels whose output alphabet \mathcal{Y} is the set of all ℓ -bit strings. This captures the constraint where the message from each user is at most ℓ bits: that is, each user has a stringent bandwidth constraint.

¹For convenience, we assume throughout the paper that the domain \mathcal{X} has even cardinality; specifically $\mathcal{X} = [2k]$. This is merely for the ease of notation, and all results apply to any finite domain \mathcal{X} .

²Throughout, we use the information-theoretic notion of a channel and use the standard notation $W(y|x)$ for the probability with which the output is y when the input is x .

Local differential privacy constraints. For a privacy parameter $\varrho > 0$, a channel $W : [2k] \rightarrow \{0, 1\}^*$ is ϱ -locally differentially private [29, 27, 38] if

$$\frac{W(y | x_1)}{W(y | x_2)} \leq e^\varrho, \quad \forall x_1, x_2 \in [2k], \forall y \in \{0, 1\}^*.$$

Loosely speaking, no output message from a user can reveal too much about their sample. We denote by \mathcal{W}_ϱ the set of all ϱ -locally differentially private (ϱ -LDP) channels.

We emphasize that, although these two constraints will be our leading examples, our formulation of local information constraints captures many more settings. As an example, choosing message output $\mathcal{Y} = [2k] \cup \{\perp\}$ and \mathcal{W} to be the set $W : [2k] \rightarrow \mathcal{Y}$ of the form $W(x | x) = \eta_x$, $W(\perp | x) = 1 - \eta_x$ for various sequences $(\eta_x)_{x \in [2k]}$ lets one model *erasure channels*. As another example, one can choose $\mathcal{Y} = \{0, 1\}$, and let \mathcal{W} to be the set of channels of the form $W(1 | x) = \mathbb{1}_{\{x \leq \tau\}}$, *i.e.*, of *threshold measurements*.

We now return to the description of distributed inference protocols under local information constraints described by \mathcal{W} . Once the channel $W_t \in \mathcal{W}$ at user t is decided, the message of user t is $y \in \mathcal{Y}$ with probability $W_t(y | X_t)$. The transcript of n messages, $Y^n = (Y_1, \dots, Y_n)$, is observed by a server \mathcal{R} , whose goal is to perform some inference task based on the messages. We consider three classes of protocols, classified depending on how the channels are allowed to be chosen.³

Private-coin noninteractive (SMP) protocols. Let U_1, \dots, U_n be independent random variables which are independent jointly of (X_1, \dots, X_n) . U_t is available only at user t and W_t is chosen as a function of U_t . Therefore, the outputs of the channels are independent of each other.

Public-coin noninteractive (SMP) protocols. Let U be a random variable independent of (X_1, \dots, X_n) . All users are given access to U , and they select their respective channels $W_t \in \mathcal{W}$ as a function of U . We note that the outputs of the channels are independent given U .

Sequentially interactive protocols. Let U be a random variable independent of (X_1, \dots, X_n) . In an *interactive* protocol, all users are given access to U , and user t selects their respective channel $W_t \in \mathcal{W}$ as a function of (Y_1, \dots, Y^{t-1}, U) . We will often make this dependence on previous messages explicit by writing $W^{Y^t, U}$ or as W^{Y^t} when U is fixed (see Section 2).

Henceforth, we will interchangeably use “interactive” and “sequentially interactive,” and will often omit to specify “noninteractive” when mentioning public- and private-coin protocols. Note that private-coin protocols are a subset of public-coin protocols which in turn are a subset of interactive protocols.

We now define information-constrained discrete distribution estimation and uniformity testing. For a discrete domain \mathcal{X} , let $\Delta_{\mathcal{X}}$ be the simplex of distributions over \mathcal{X} . Throughout this paper we consider $\mathcal{X} = [2k]$, and denote $\Delta_{[2k]}$ by Δ_{2k} .

Distribution learning. In the $(2k, \varepsilon)$ -distribution learning problem (under constraints \mathcal{W}), we seek to estimate an unknown distribution \mathbf{p} over $\mathcal{X} = [2k]$ to within ε in total variation distance (defined in (4)). Formally, a protocol $\Pi : [2k]^n \times \mathcal{U} \rightarrow \mathcal{Y}^n$ (using \mathcal{W}) and an estimator mapping $\hat{\mathbf{p}} : \mathcal{Y}^n \times \mathcal{U} \rightarrow \Delta_{2k}$ constitute an (n, ε) -estimator using \mathcal{W} if

$$(1) \quad \sup_{\mathbf{p} \in \Delta_{2k}} \Pr_{X^n \sim \mathbf{p}} (d_{\text{TV}}(\hat{\mathbf{p}}(Y^n, U), \mathbf{p}) > \varepsilon) \leq \frac{1}{100},$$

³In what follows, “SMP” stands for *simultaneous-message passing*, *i.e.*, for noninteractive, one-shot protocol.

where $Y^n = \Pi(X^n, U)$ and $d_{\text{TV}}(\mathbf{p}, \mathbf{q})$ denotes the total variation distance between \mathbf{p} and \mathbf{q} . Namely, given the transcript (Y^n, U) of the protocol Π run on the samples X^n , $\hat{\mathbf{p}}$ estimates the input distribution \mathbf{p} to within distance ε with probability at least 99/100 (this choice of probability is arbitrary and has been chosen for convenience in the proof of Lemma 1). The *sample complexity* of (k, ε) -distribution learning using \mathcal{W} is then the least n such that there exists an (n, ε) -estimator using \mathcal{W} .

Identity and uniformity testing. In the $(2k, \varepsilon)$ -identity testing problem (under constraints \mathcal{W}), given a known reference distribution \mathbf{q} over $[2k]$, and samples from an unknown \mathbf{p} , we seek to test if $\mathbf{p} = \mathbf{q}$ or if it is ε -far from \mathbf{q} in total variation distance. Specifically, an (n, ε) -test using \mathcal{W} is given by a protocol $\Pi: [2k]^n \times \mathcal{U} \rightarrow \mathcal{Y}^n$ (using \mathcal{W}) and a randomized decision function $T: \mathcal{Y}^n \times \mathcal{U} \rightarrow \{0, 1\}$ such that

$$(2) \quad \Pr_{X^n \sim \mathbf{q}^n} (T(Y^n, U) = 0) \geq \frac{99}{100}, \quad \inf_{\mathbf{p}: d_{\text{TV}}(\mathbf{p}, \mathbf{q}) \geq \varepsilon} \Pr_{X^n \sim \mathbf{p}^n} (T(Y^n, U) = 1) \geq \frac{99}{100},$$

where $Y^n = \Pi(X^n, U)$. In other words, after running the protocol Π on independent samples X^n and public coins U , a decision function T is applied to the transcript (Y^n, U) of the protocol. Overall, the protocol should “accept” with high constant probability if the samples come from the reference distribution \mathbf{q} and “reject” with high constant probability if they come from a distribution significantly far from \mathbf{q} . Once again, note that the choice of 1/100 for probability of error is for convenience.⁴ Identity testing for the uniform reference distribution \mathbf{u} over $[2k]$ is termed the $(2k, \varepsilon)$ -uniformity testing problem, and the *sample complexity* of $(2k, \varepsilon)$ -uniformity testing using \mathcal{W} is the least n for which there exists an (n, ε) -test using \mathcal{W} for \mathbf{u} .

REMARK 1. We note that our results are phrased in terms of sample complexity, *i.e.*, the number of users required to perform the corresponding task. Equivalently, this corresponds to minimax lower bounds on rates of convergence (for estimation) or critical radius (for testing).

1.2. Our results. The lower bounds we develop associate to each channel $W: [2k] \rightarrow \mathcal{Y}$ a k -by- k positive semidefinite matrix $H(W)$, which we term the *channel information matrix* (see (6)), which captures the “informativeness” of the channel W . The spectrum of these matrices $H(W)$, for $W \in \mathcal{W}$, will play a central role in our results. In particular, for a given family of local constraints \mathcal{W} , the following quantities will be used:

$$\begin{aligned} (\text{maximum operator norm}) \quad & \|\mathcal{W}\|_{\text{op}} := \max_{W \in \mathcal{W}} \|H(W)\|_{\text{op}}, \\ (\text{maximum nuclear norm}) \quad & \|\mathcal{W}\|_* := \max_{W \in \mathcal{W}} \|H(W)\|_*, \\ (\text{maximum Frobenius norm}) \quad & \|\mathcal{W}\|_F := \max_{W \in \mathcal{W}} \|H(W)\|_F. \end{aligned}$$

Two key inequalities to interpret our results are

$$(3) \quad \|\mathcal{W}\|_F^2 \leq \|\mathcal{W}\|_{\text{op}} \|\mathcal{W}\|_* \quad \text{and} \quad \|\mathcal{W}\|_{\text{op}} \leq \|\mathcal{W}\|_F \leq \|\mathcal{W}\|_*,$$

which follow from Hölder’s inequality and monotonicity of norms, respectively.

Our results are summarized in Table 1, we describe and discuss them in more detail below.

⁴In other words, we seek to solve the composite hypothesis testing problem with null hypothesis $\mathcal{H}_0 = \{\mathbf{q}\}$ and composite alternative given by $\mathcal{H}_1 = \{\mathbf{q}' \in \Delta_{2k} : d_{\text{TV}}(\mathbf{q}', \mathbf{q}) \geq \varepsilon\}$ in a minimax setting, with both type-I and type-II errors set to 1/100.

TABLE 1

Lower bounds for local information-constrained learning and testing. The public- and private-coin bounds were known from previous work; the interactive bounds all follow from our results. The bound marked by a (†) was previously established in [15, 10].

	Learning			Testing		
	Private-Coin	Public-Coin	Interactive	Private-Coin	Public-Coin	Interactive
General		$\frac{k}{\varepsilon^2} \cdot \frac{k}{\ \mathcal{W}\ _*}$		$\frac{\sqrt{k}}{\varepsilon^2} \cdot \frac{k}{\ \mathcal{W}\ _*}$	$\frac{\sqrt{k}}{\varepsilon^2} \cdot \frac{\sqrt{k}}{\ \mathcal{W}\ _F}$	$\frac{\sqrt{k}}{\varepsilon^2} \cdot \frac{k}{\sqrt{\ \mathcal{W}\ _* \ \mathcal{W}\ _{\text{op}}}}$
Communication		$\frac{k}{\varepsilon^2} \cdot \frac{k}{2^\ell}$		$\frac{\sqrt{k}}{\varepsilon^2} \cdot \frac{k}{2^\ell}$	$\frac{\sqrt{k}}{\varepsilon^2} \cdot \sqrt{\frac{k}{2^\ell}}$	$\frac{\sqrt{k}}{\varepsilon^2} \cdot \sqrt{\frac{k}{2^\ell}}$
Privacy		$\frac{k}{\varepsilon^2} \cdot \frac{k}{\varrho^2}$		$\frac{\sqrt{k}}{\varepsilon^2} \cdot \frac{k}{\varrho^2}$	$\frac{\sqrt{k}}{\varepsilon^2} \cdot \frac{\sqrt{k}}{\varrho^2}$	$\frac{\sqrt{k}}{\varepsilon^2} \cdot \frac{\sqrt{k}}{\varrho^2}$ (†)
Leaky-Query		$\frac{k}{\varepsilon^2} \cdot \sqrt{k}$		$\frac{\sqrt{k}}{\varepsilon^2} \cdot \sqrt{k}$	$\frac{\sqrt{k}}{\varepsilon^2} \cdot \sqrt{k}$	$\frac{\sqrt{k}}{\varepsilon^2} \cdot \sqrt[4]{k}$

Learning. Our first result concerns distribution learning. We establish a new technical lemma which relates the mutual information between the parameters of the distribution to learn and the (adaptively chosen) messages sent by the users to the nuclear norm $\|\mathcal{W}\|_*$ of the local constraints (Theorem 4). This key result, combined with an Assouad-type bound for interactive protocols, yields the following:

THEOREM 1. *The sample complexity of $(2k, \varepsilon)$ -distribution learning under local constraints \mathcal{W} using interactive protocols is*

$$\Omega\left(\frac{k^2}{\varepsilon^2 \|\mathcal{W}\|_*}\right).$$

This bound matches the known lower bound for learning with noninteractive *private-coin* protocols in Acharya, Canonne and Tyagi [1].

LDP and communication-limited learning. We now apply this to local differential privacy (LDP) and communication constraints. While bounds for these two constraints were presented in prior work, the proofs unfortunately break down for interactive protocols (see Section 1.3).

COROLLARY 1. *Let $\varrho \in (0, 1]$. The sample complexity of interactive $(2k, \varepsilon)$ -distribution learning under ϱ -LDP channels \mathcal{W}_ϱ is*

$$\Omega\left(\frac{k^2}{\varepsilon^2 \varrho^2}\right).$$

PROOF. This follows from $\|\mathcal{W}_\varrho\|_* = O(\varrho^2)$, which was seen in [1, Lemma V.5]. \square

COROLLARY 2. *For $1 \leq \ell \leq \log k$, the sample complexity of interactive $(2k, \varepsilon)$ -distribution learning under communication constraints \mathcal{W}_ℓ is*

$$\Omega\left(\frac{k^2}{\varepsilon^2 2^\ell}\right).$$

PROOF. This follows from $\|\mathcal{W}_\ell\|_* \leq 2^\ell$, which was seen in [1, Lemma V.1]. \square

Both Corollaries 1 and 2 are optimal up to constant factors. In fact there exist noninteractive private-coin protocols that achieve these bounds (see references in Section 1.3), showing that for learning with communication and LDP constraints, interactive protocols are no more powerful than noninteractive ones.

Learning under ℓ_2 distance. Finally, we note that one can instantiate the distribution learning question in (1) with other distance measures than total variation, *e.g.*, the ℓ_2 distance defined by $\ell_2(\mathbf{p}_1, \mathbf{p}_2) = \|\mathbf{p}_1 - \mathbf{p}_2\|_2$. Our results on total variation distance readily imply the following corollary for ℓ_2 , which retrieves the two lower bounds from [12, 13] and matches the bounds of [23, 14] for LDP in the noninteractive case.

COROLLARY 3. *For $1 \leq \ell \leq \log k$ and $\varrho \in (0, 1]$, the sample complexities of interactive $(2k, \varepsilon)$ -distribution learning in ℓ_2 distance under constraints \mathcal{W}_ℓ and \mathcal{W}_ϱ are*

$$\Omega\left(\frac{k}{\varepsilon^2 2^\ell} \wedge \frac{1}{\varepsilon^4 2^\ell}\right) \quad \text{and} \quad \Omega\left(\frac{k}{\varepsilon^2 \varrho^2} \wedge \frac{1}{\varepsilon^4 \varrho^2}\right),$$

respectively.

Details can be found in Section 3.

Testing. Our next result, proved in Section 4, is a general lower bound for uniformity testing (and thus, *a fortiori*, on the more general problem of identity testing).⁵

THEOREM 2. *The sample complexity of $(2k, \varepsilon)$ -uniformity testing under local constraints \mathcal{W} using interactive protocols is*

$$\Omega\left(\frac{k}{\varepsilon^2 \sqrt{\|\mathcal{W}\|_{\text{op}} \|\mathcal{W}\|_*}}\right).$$

Acharya, Canonne and Tyagi [1] previously established an $\Omega\left(\frac{k}{\varepsilon^2 \|\mathcal{W}\|_F}\right)$ lower bound for (noninteractive) public-coin protocols.

LDP and communication-limited testing. We now apply this to common local constraints.

COROLLARY 4. *Let $\varrho \in (0, 1]$. The sample complexity of interactive $(2k, \varepsilon)$ -uniformity testing under ϱ -LDP channels \mathcal{W}_ϱ is*

$$\Omega\left(\frac{k}{\varepsilon^2 \varrho^2}\right).$$

PROOF. This follows from Theorem 2 and the fact that $\|\mathcal{W}_\varrho\|_{\text{op}} \asymp \|\mathcal{W}_\varrho\|_F \asymp \|\mathcal{W}_\varrho\|_* = O(\varrho^2)$ shown in [1, Lemma V.5]. \square

⁵As uniformity testing is a special case of identity testing, lower bounds for the former problem imply worst-case lower bounds for the latter. Moreover, when concerned with “instance-specific” lower bounds (*i.e.*, parameterized by the reference distribution itself instead of the domain size), a reduction inspired by Goldreich [31] and generalized in [2, Appendix D] to local constraints shows that a lower bound on uniformity testing implies an *instance-specific* lower bound on identity testing.

COROLLARY 5. *Let $1 \leq \ell \leq \log k$. The sample complexity of interactive $(2k, \varepsilon)$ -uniformity testing under communication constraints \mathcal{W}_ℓ is*

$$\Omega\left(\frac{k}{\varepsilon^2 2^{\ell/2}}\right).$$

PROOF. This follows from $\|\mathcal{W}_\ell\|_* \leq 2^\ell$ ([1, Lemma V.1]) and $\|\mathcal{W}_\ell\|_{\text{op}} \leq 2$ from Lemma 3 in Section 4.4. \square

Both Corollaries 4 and 5 are tight up to constant factors, as they are in particular achieved by (noninteractive) public-coin protocols [7, 3]). This shows that for communication and local privacy constraints, interactive protocols are no more powerful than public-coin protocols, which are themselves more powerful than private-coin protocols.

A separation. By relations between matrix norms (3), it can be seen that the noninteractive public-coin lower bound of $\Omega\left(\frac{k}{\varepsilon^2 \|\mathcal{W}\|_F}\right)$ from [4] can be up to a $k^{1/4}$ factor smaller than the bound in Theorem 2 for interactive protocols. Guided by the analysis of the proof of Theorem 2, we show that this maximal separation is achievable, and in particular demonstrate a separation between noninteractive and interactive protocols for uniformity testing. (see Section 4.4 for details).

THEOREM 3. *There exists a natural family of constraints, which we term leaky-query channels, under which the sample complexity of $(2k, \varepsilon)$ -uniformity testing for noninteractive public-coin protocols and interactive protocols are $\Theta(k/\varepsilon^2)$ and $\Theta(k^{3/4}/\varepsilon^2)$, respectively.*

Power of the proof. Finally, we emphasize that $\sqrt{\|\mathcal{W}\|_{\text{op}} \|\mathcal{W}\|_*}$ is a convenient, easy-to-apply bound which is optimal for the channel families considered above. However, the true power of our techniques goes beyond that specific evaluation. To show this, we provide in Section 4.3 a family of partial erasure constraints \mathcal{W}_\perp for which the bound given in Theorem 2 is loose, and for which interactivity does not help. Yet, while the general bound given in the statement of the theorem is not tight, the proof of Theorem 2, instantiated with this specific family \mathcal{W}_\perp in mind, readily gives the correct bound.

1.3. *Prior work.* There is a vast literature on statistical inference under LDP and communication constraints. We discuss some of these works below, focusing on those most relevant to ours.

Several protocols have been proposed for discrete distribution estimation and testing under communication and privacy constraints. To the best of our knowledge, all these schemes are noninteractive. [28, 24, 44, 37, 5, 45, 6] provide schemes under LDP, and [33, 32, 2] provide estimation schemes under communication constraints. [14] considers estimation schemes under LDP in the ℓ_2 distance. [7, 15, 10] consider distribution testing under various privacy constraints, and [4, 1, 3, 2, 30] study distribution testing under several communication constraints. [9] focuses on the role of shared randomness in distributed testing under information constraints. Most relevant to this paper is prior work by a subset of the authors [1] which provides a unifying view of lower bounds under information constraints in the noninteractive setting. We build on this work here.

Interactive testing and estimation of discrete distributions. We now describe prior work on distribution testing and learning for discrete distributions in the interactive setting. We

focus on the papers that obtain or claim similar results as ours. We point out the technical flaws in some of the prior work and outline the state of the art.

Duchi, Jordan and Wainwright [25] (also, see preprint [23]) state lower bounds on distributed estimation of several families of distributions under LDP constraints. While their results hold true in one-dimensional settings and for noninteractive protocols, a crucial component of their proof of a private analogue of Assouad’s method ([25, Proposition 3]) is their claim that, under a marginal mixture distribution they consider, the distribution of the sample is independent from the previous messages; in particular, this claim is used to show [25, Theorem 3, supplemental (12)]. This claim of independence simplifies the analysis and takes care of several dependency structures that might arise in sequentially interactive protocols. However, this key identity only holds for noninteractive protocols, not in general, even in the absence of any local constraint.

In another direction, Han et al. [34] claim lower bounds on distributed estimation (in total variation distance) of several families of distributions under communication constraints. In [32], Han, Özgür and Weissman claim lower bounds on distribution estimation under the ℓ_2 distance as well. The arguments of [34] and [32] appear to both rely on a particular flawed step stated as [32, Lemma 12], which essentially reduces their problem to the noninteractive setting. But this step does not hold in the interactive setting.

Turning to testing, both Amin, Joseph and Mao [10] and Berrett and Butucea [15] establish optimal lower bounds on uniformity testing under LDP constraints.⁶⁷ In particular, this implies that the separation between private-coin and public-coin noninteractive LDP protocols shown in [4] does not increase when allowing sequential interactivity. However, we note that the results in these paper do not extend to general constraints. Furthermore, even when we try to use their techniques to obtain general bounds, we only get bounds as a function of $\|\mathcal{W}\|_*$ alone. This turns out to be optimal for LDP constraints, but would lead a suboptimal bound for other types of constraints, such as communication constraints (where it would yield a denominator of 2^ℓ instead of the optimal $2^{\ell/2}$).

Several works have studied distribution estimation under the ℓ_2 distance [16, 13, 12] for parametric families of distributions. [13, 12] develop Fisher information-based methods to obtain these bounds, and one of the distribution families they consider is the class of discrete distributions. For sequentially interactive protocols and this particular class, our lower bounds for estimation under the total variation distance imply their results. We point out, nevertheless, that their bounds apply to a larger class of protocols (*blackboard* protocols, which allow for multiple rounds of messages from each user), and therefore hold in a more general setting than ours. However, it is important to remark that these techniques do not suffice for the total variation distance setting, and more importantly, unlike the bounds claimed in [32], cannot give bounds for testing.

Slightly further from the setting considered here, [21]⁸ and [22] also consider distributed estimation and identity testing of discrete distributions, respectively, under total variation distance. Although their results apply to blackboard protocols, their setting and results are

⁶The conference version of [10] had a flaw on the claim that for any fixed setting of the previous messages Y^{t-1} , the random variables Y_t and Z_i (a parameter of their lower bound construction) are independent conditioned on $X_t \notin \{2i-1, 2i\}$. This is not true in general, as it overlooks some conditional dependencies that may arise. However, after this was brought to their attention, the authors were able to fix the gap in their argument, using techniques that bear some resemblance to the ones used in the present paper [11].

⁷The result of [15] is actually phrased in a more general way, as they address the more general problem of *identity testing*, where the reference distribution need not be uniform. However, as discussed in Section 1.2, the two are equivalent in view of the known reduction between uniformity and identity testing.

⁸To the best of our knowledge, the details of the proofs of [21] have not been made publicly available, and as such we have not been able to assess correctness of the results claimed in this paper.

incomparable to ours as they consider constraints on the *total* communication sent by all the users.

In a different direction, recent work of [Bubeck, Chen and Li \[17\]](#) considers the task of testing whether a quantum state is *maximally mixed*, the quantum analogue of uniformity testing. They focus on the setting where one is only allowed local measurements (*i.e.*, without entanglement) and provide a lower bound showing a separation between sequentially interactive “local measurement” protocols and the more general fully entangled ones. We note that, while the setting differs from the one we consider here, some of the considerations are similar, and there is a direct analogy between their techniques and those of [\[4\]](#).

General interactive testing and estimation bounds. Several papers have studied the role of interactivity for specific estimation tasks, establishing separation results under either local privacy or communication constraints.

The study of interactivity in LDP started with [\[38\]](#) who designed a learning task that requires exponentially fewer samples with interactive protocols than with noninteractive ones. Moreover, this separation can manifest itself in very natural optimization or learning problems [\[41, 20, 43\]](#). [Joseph et al. \[36\]](#) and [Joseph, Mao and Roth \[35\]](#) study the relation between sequentially interactive protocols and fully interactive protocols (where the same user can send multiple messages), establishing both relations and strong separations in sample complexity between the two settings. [Duchi and Rogers \[26\]](#), drawing on machinery from the communication complexity literature, develop a lower bound results which apply to any locally private estimation protocol (regardless of the interactivity model). [Shamir \[40\]](#) studies various estimation tasks under a range of information constraints. Finally, [Dagan and Feldman \[19\]](#) establish a separation between interactive and noninteractive learning for large-margin classifiers, under both local privacy and communication constraints.

2. Preliminaries. Hereafter, we write \log and \ln for the binary and natural logarithms, respectively. We will consider probability distributions over $[2k]$ which we identify with their probability mass functions $\mathbf{p}: [2k] \rightarrow [0, 1]$ satisfying $\sum_{x \in \mathcal{X}} \mathbf{p}(x) = 1$. We denote by Δ_{2k} the set of all such probability distributions. We denote by \mathbf{u} the uniform distribution over $[2k]$.

For two distributions $\mathbf{p}_1, \mathbf{p}_2$ over \mathcal{X} , denote their total variation distance by

$$(4) \quad d_{\text{TV}}(\mathbf{p}_1, \mathbf{p}_2) := \sup_{S \subseteq \mathcal{X}} (\mathbf{p}_1(S) - \mathbf{p}_2(S)),$$

and their Kullback–Leibler divergence and chi square divergence, respectively, by

$$D(\mathbf{p}_1 \parallel \mathbf{p}_2) := \sum_{x \in \mathcal{X}} \mathbf{p}_1(x) \log \frac{\mathbf{p}_1(x)}{\mathbf{p}_2(x)} \quad \text{and} \quad d_{\chi^2}(\mathbf{p}_1 \parallel \mathbf{p}_2) := \sum_{x \in \mathcal{X}} \frac{(\mathbf{p}_1(x) - \mathbf{p}_2(x))^2}{\mathbf{p}_2(x)}.$$

By Pinsker’s inequality and concavity of logarithm, these quantities obey the inequalities:

$$d_{\text{TV}}(\mathbf{p}_1, \mathbf{p}_2)^2 \leq \frac{\ln 2}{2} D(\mathbf{p}_1 \parallel \mathbf{p}_2) \leq \frac{\ln 2}{2} d_{\chi^2}(\mathbf{p}_1 \parallel \mathbf{p}_2).$$

Further, we denote the Shannon entropy of a random variable X by $H(X)$ and the mutual information between X and Y by $I(X \wedge Y)$; see, for instance, [\[18\]](#) for details on these notions and their properties, which will be used throughout.

Throughout, We use the standard asymptotic notation $O(f)$, $\Omega(f)$, $\Theta(f)$. In addition, we will often write $a_n \lesssim b_n$ (resp. $a_n \gtrsim b_n$), to indicate there exists an absolute constant $C > 0$ such that $a_n \leq C \cdot b_n$ (resp. $a_n \geq C \cdot b_n$) for all n , and accordingly write $a_n \asymp b_n$ when both $a_n \lesssim b_n$ and $a_n \gtrsim b_n$.

Interactive protocols. We set up some notation for sequentially interactive protocols, defined in Section 1.1. When public-coin U is fixed constant, we will call the protocol a *deterministic protocol*.⁹ Recall that in interactive protocols, user t selects its channel $W \in \mathcal{W}$ as a function of (Y^{t-1}, U) . We denote this channel by $W^{Y^{t-1}, U}$, or simply by $W^{Y^{t-1}}$ for deterministic protocols, and the corresponding output by Y_t .

We call (Y^n, U) the *transcript* of the protocol, which is used to complete the inference task. For a fixed protocol Π , when the input X^n has distribution \mathbf{p}^n , we denote the distribution of the transcript by $\mathbf{p}_{\Pi}^{Y^n U}$. In fact, we often omit the dependence on the protocol from our notation (since it will be clear from the context) and simply use $\mathbf{p}^{Y^n U}$. For deterministic protocols, $\mathbf{p}^{Y_t | Y^{t-1}}$ will be used to denote the conditional distribution of the message Y_t of the t th user, conditioned on the past messages $Y^{t-1} = (Y_1, \dots, Y_{t-1})$.

Lower bound construction. Our lower bounds rely on a family of perturbed distributions around \mathbf{u} , a common starting point for establishing several statistical lower bounds. The particular construction we use is from Paninski [39] and consists of 2^k distributions parameterized by $\mathcal{Z} = \{-1, +1\}^k$. Specifically, for $z \in \mathcal{Z}$ the distribution \mathbf{p}_z over $[2k]$ is given by

$$(5) \quad \mathbf{p}_z = \frac{1}{2^k} (1 + 4\varepsilon z_1, 1 - 4\varepsilon z_1, \dots, 1 + 4\varepsilon z_t, 1 - 4\varepsilon z_t, \dots, 1 + 4\varepsilon z_k, 1 - 4\varepsilon z_k).$$

Each such \mathbf{p}_z is therefore at total variation exactly ε from \mathbf{u} .

The channel information matrix. We capture the information revealed by a channel about the distribution of its input in terms of a matrix $H(W)$, which was defined in [1, Definition I.5].

Specifically, for a channel $W : [2k] \rightarrow \mathcal{Y}$, the associated *information matrix* $H(W)$ is the k -by- k positive semi-definite (p.s.d.) matrix $H(W)$ given by

$$(6) \quad H(W)_{i_1, i_2} := \sum_{y \in \mathcal{Y}} \frac{(W(y | 2i_1 - 1) - W(y | 2i_1))(W(y | 2i_2 - 1) - W(y | 2i_2))}{\sum_{x \in [2k]} W(y | x)} \quad i_1, i_2 \in [k].$$

This matrix captures the ability of the channel output to distinguish between consecutive even and odd inputs, and is thus particularly tailored to the Paninski perturbed family defined above. However, the ordering of the elements is arbitrary and we can associate this matrix with any partition of the domain into equal parts.

Organization. The remainder of the paper is organized as follows. In Sections 3 and 4 we prove our general results on learning and testing. In Section 4.4 we present a set of channels \mathcal{W} for which interactivity helps when testing using \mathcal{W} .

3. Interactive learning under information constraints. We now prove Theorem 1, a lower bound on the sample complexity for learning using interactive protocols under general information constraints given by a channel family \mathcal{W} .

We proceed as in [1] and use the construction in (5). For each $z \in \{-1, +1\}^k$, let $\mathbf{p}_z \in \Delta_{2k}$ denote the $2k$ -ary distribution given in (5). We use a uniform prior over these distributions to get our lower bound. Specifically, let Z be distributed uniformly over $\{-1, +1\}^k$. Conditioned on Z , let X_1, \dots, X_n denote independent samples from \mathbf{p}_Z . We run a (sequentially)

⁹This is a slight abuse of notation, since randomness is used by the channels to generate their (random) output.

interactive protocol Π which generates the messages (transcript) Y^n taking values in \mathcal{Y}^n . The distribution of messages over \mathcal{Y}^n is given by

$$(7) \quad \mathbf{q}^{Y^n} := \frac{1}{2^k} \sum_{z \in \mathcal{Z}} \mathbf{p}_z^{Y^n}$$

In [1], Fano's inequality is used to derive the desired bound. However, this requires us to derive a bound for $I(Z \wedge Y^n)$, the joint information in the message about the vector Z . As noted in [25], this is a formidable task for interactive communication, since the correlation can be rather complicated. Instead, we exploit the additive structure of total variation distance to obtain an Assouad-type bound below, which relates the loss in total variation function to the *average information* $\frac{1}{k} \sum_{i=1}^k I(Z_i \wedge Y^n)$.¹⁰

LEMMA 1 (Assouad-type bound). *Consider local constraints \mathcal{W} and $\varepsilon \in (0, 1]$. Let (Π, \hat{p}) be an $(n, \varepsilon/12)$ -estimator using \mathcal{W} and (Y^n, U) be the corresponding transcript. Then, we must have*

$$(8) \quad \sum_{i=1}^k I(Z_i \wedge Y^n | U) \geq \frac{k}{2}.$$

We defer the proof of this result to the end of this section. Our key result, Theorem 4, is an upper bound for the average mutual information $\sum_{i=1}^k I(Z_i \wedge Y^n | U)$. Upon combining this bound with Lemma 1, we obtain the proof of Theorem 1.

Interestingly, the same bound will be useful for the testing problem as well, and is one of the key components of our lower bound recipes in this paper. We provide its formal proof first, followed by remarks on its extension (which will be useful) and heuristics underlying the formal proof.

THEOREM 4 (Average Information Bound). *For $\varepsilon \in (0, 1/4]$, let (Y^n, U) be the transcript of an interactive protocol using \mathcal{W} , when the input is generated using \mathbf{p}_Z from (5) with a uniform Z . Then, for every $1 \leq t \leq n$,*

$$\frac{1}{k} \sum_{i=1}^k I(Z_i \wedge Y^t | U) \leq \frac{8t\varepsilon^2}{k^2} \cdot \|\mathcal{W}\|_*.$$

PROOF OF THEOREM 4. Since $\sum_{i=1}^k I(Z_i \wedge Y^t | U) \leq \max_u \sum_{i=1}^k I(Z_i \wedge Y^t | U = u)$, it suffices to establish the bound for every fixed realization of U ; we will assume that U is a fixed constant and the protocol Π is a deterministic interactive protocol. Fix $1 \leq t \leq n$ and consider $i \in [k]$. For the distribution in (5) and $i \in [k]$, let

$$(9) \quad \mathbf{p}_{+i}^{Y^n} := \frac{1}{2^{k-1}} \sum_{z: z_i = +1} \mathbf{p}_z^{Y^n} \quad \text{and} \quad \mathbf{p}_{-i}^{Y^n} := \frac{1}{2^{k-1}} \sum_{z: z_i = -1} \mathbf{p}_z^{Y^n}$$

be distributions over n -message transcripts restricting z_i to be $+1$ or -1 . Recalling the definition of \mathbf{q}^{Y^t} , from (7), we can rewrite

$$(10) \quad \mathbf{q}^{Y^t} = \frac{\mathbf{p}_{+i}^{Y^t} + \mathbf{p}_{-i}^{Y^t}}{2}.$$

¹⁰Note that $\sum_{i=1}^k I(Z_i \wedge Y^n) \leq I(Z \wedge Y^n)$, suggesting that this bound is perhaps more stringent than the Fano-type bound in [1].

By the convexity of KL divergence,

$$I(Z_i \wedge Y^t) = \frac{D(\mathbf{p}_{+i}^{Y^t} \| \mathbf{q}^{Y^t}) + D(\mathbf{p}_{-i}^{Y^t} \| \mathbf{q}^{Y^t})}{2} \leq \frac{1}{4} \left(D(\mathbf{p}_{+i}^{Y^t} \| \mathbf{p}_{-i}^{Y^t}) + D(\mathbf{p}_{-i}^{Y^t} \| \mathbf{p}_{+i}^{Y^t}) \right).$$

For $z \in \{-1, +1\}^k$, write $z^{\oplus i}$ for z with the i th coordinate flipped. Using the convexity of KL divergence and applying Jensen's inequality to the right-side of the previous bound, we get

$$(11) \quad I(Z_i \wedge Y^t) \leq \frac{1}{2} \left(\frac{1}{2^k} \sum_{z \in \{-1, +1\}^k} D(\mathbf{p}_z^{Y^t} \| \mathbf{p}_{z^{\oplus i}}^{Y^t}) \right).$$

Now for any z, z' , by the chain rule for KL divergence, we have

$$(12) \quad D(\mathbf{p}_z^{Y^t} \| \mathbf{p}_{z'}^{Y^t}) = \sum_{r=1}^t \mathbb{E}_{\mathbf{p}_z^{Y^{r-1}}} \left[D(\mathbf{p}_z^{Y_r | Y^{r-1}} \| \mathbf{p}_{z'}^{Y_r | Y^{r-1}}) \right].$$

Next, we note that

$$(13) \quad \Pr_{\mathbf{p}_z} (Y_r = y | Y^{r-1}) = \Pr_{\mathbf{p}_{z^{\oplus i}}} (Y_r = y | Y^{r-1}) + \frac{2\varepsilon z_i}{k} \left(W^{Y^{r-1}}(y | 2i-1) - W^{Y^{r-1}}(y | 2i) \right).$$

Indeed, this relation holds since for all z

$$\begin{aligned} \Pr_{\mathbf{p}_z} (Y_r = y | Y^{r-1}) &= \sum_{j=1}^k \left(\mathbf{p}_z(2j-1) W^{Y^{r-1}}(y | 2j-1) + \mathbf{p}_z(2j) W^{Y^{r-1}}(y | 2j) \right) \\ &= \sum_{j \neq i} \left(\mathbf{p}_z(2j-1) W^{Y^{r-1}}(y | 2j-1) + \mathbf{p}_z(2j) W^{Y^{r-1}}(y | 2j) \right) \\ &\quad + \left(\frac{1+4\varepsilon z_i}{2k} W^{Y^{r-1}}(y | 2i-1) + \frac{1-4\varepsilon z_i}{2k} W^{Y^{r-1}}(y | 2i) \right) \\ &= \sum_{j \neq i} \left(\mathbf{p}_{z^{\oplus i}}(2i-1) W^{Y^{r-1}}(y | 2j-1) + \mathbf{p}_{z^{\oplus i}}(2j) W^{Y^{r-1}}(y | 2j) \right) \\ &\quad + \left(\frac{1-4\varepsilon z_i}{2k} W^{Y^{r-1}}(y | 2i-1) + \frac{1+4\varepsilon z_i}{2k} W^{Y^{r-1}}(y | 2i) \right) \\ &\quad + \frac{2\varepsilon z_i}{k} \left(W^{Y^{r-1}}(y | 2i-1) - W^{Y^{r-1}}(y | 2i) \right) \\ &= \Pr_{\mathbf{p}_{z^{\oplus i}}} (Y_r = y | Y^{r-1}) + \frac{2\varepsilon z_i}{k} \left(W^{Y^{r-1}}(y | 2i-1) - W^{Y^{r-1}}(y | 2i) \right). \end{aligned}$$

Using (13), we bound $D(\mathbf{p}_z^{Y_r | Y^{r-1}} \| \mathbf{p}_{z^{\oplus i}}^{Y_r | Y^{r-1}})$ as follows. Since the KL divergence is bounded by the chi square distance, we have

$$\begin{aligned} D(\mathbf{p}_z^{Y_r | Y^{r-1}} \| \mathbf{p}_{z^{\oplus i}}^{Y_r | Y^{r-1}}) &\leq \sum_{y \in \mathcal{Y}} \frac{(\Pr_{\mathbf{p}_z} (Y_r = y | Y^{r-1}) - \Pr_{\mathbf{p}_{z^{\oplus i}}} (Y_r = y | Y^{r-1}))^2}{\Pr_{\mathbf{p}_{z^{\oplus i}}} (Y_r = y | Y^{r-1})} \\ &\leq \frac{16\varepsilon^2}{k} \sum_{y \in \mathcal{Y}} \frac{\left(W^{Y^{r-1}}(y | 2i-1) - W^{Y^{r-1}}(y | 2i) \right)^2}{\sum_{x \in [2k]} W^{Y^{r-1}}(y | x)} \end{aligned}$$

$$(14) \quad = \frac{16\varepsilon^2}{k} H(W^{Y^{r-1}})_{i,i},$$

where we used the observation

$$\Pr_{\mathbf{p}_z \oplus i} (Y_r = y | Y^{r-1}) \geq \frac{1-2\varepsilon}{2k} \sum_{x \in [2k]} W^{Y^{r-1}}(y|x) \geq \frac{1}{4k} \sum_{x \in [2k]} W^{Y^{r-1}}(y|x).$$

It follows that

$$\begin{aligned} \sum_{i=1}^k I(Z_i \wedge Y^t) &\leq \frac{8\varepsilon^2}{k} \sum_{i=1}^k \left(\sum_{r=1}^t \mathbb{E}_{\mathbf{p}_z^{Y^{r-1}}} \left[H(W^{Y^{r-1}})_{i,i} \right] \right) \\ &= \frac{8\varepsilon^2}{k} \sum_{r=1}^t \left(\mathbb{E}_{\mathbf{p}_z^{Y^{r-1}}} \left[\sum_{i=1}^k H(W^{Y^{r-1}})_{i,i} \right] \right) \\ &= \frac{8\varepsilon^2}{k} \sum_{r=1}^t \left(\mathbb{E}_{\mathbf{p}_z^{Y^{r-1}}} \left[\|H(W^{Y^{r-1}})\|_* \right] \right) \\ &\leq \frac{8t\varepsilon^2}{k} \cdot \|\mathcal{W}\|_*, \end{aligned}$$

concluding the proof. \square

REMARK 2 (Information bound for each coordinate). While we have stated the previous result as a bound for average information, our proof gives a bound for information $I(Z_i \wedge Y^t)$ about each coordinate contained in the message Y^t . Specifically, by (14) we get that

$$I(Z_i \wedge Y^t) \leq \frac{8\varepsilon^2}{k} \sum_{r=1}^t \mathbb{E} \left[H(W^{Y^{r-1}})_{i,i} \right].$$

This stronger form is useful; see Section 4.3.

REMARK 3 (Is this bound tight?). An examination of the proof above suggests that the only seemingly weak bound is (11). In this step, which is an important ingredient of our proof and perhaps allows us to circumvent the difficulty faced by prior works, we simplify the conditional distribution of Z_i given the past Y^t by conditioning additionally on all the other coordinates $Z^{-i} = (Z_1, \dots, Z_{i-1}, Z_{i+1}, \dots, Z_k)$. Our thesis is that until the time t when the i th bit of Z is determined by Y^t , the difficulty in determining Z_i using Y^t is not reduced much even when we condition on all the other bits Z^{-i} . This is a driving heuristic for the bound above.

PROOF OF LEMMA 1. We first relate the PAC-style guarantees provided by (1) to an expected-loss guarantee. Specifically, let

$$\hat{Z} := \operatorname{argmin}_{z \in \{-1, +1\}^k} d_{\text{TV}}(\mathbf{p}_z, \hat{\mathbf{p}}(Y^n, U)).$$

By the triangle inequality,

$$d_{\text{TV}}(\mathbf{p}_{\hat{Z}}, \mathbf{p}_Z) \leq d_{\text{TV}}(\hat{\mathbf{p}}(Y^n, U), \mathbf{p}_{\hat{Z}}) + d_{\text{TV}}(\hat{\mathbf{p}}(Y^n, U), \mathbf{p}_Z) \leq 2 d_{\text{TV}}(\hat{\mathbf{p}}(Y^n, U), \mathbf{p}_Z)$$

which yields

$$\Pr \left(d_{\text{TV}}(\mathbf{p}_{\hat{Z}}, \mathbf{p}_Z) > \frac{\varepsilon}{12} \right) \leq 1/100,$$

since $\Pr(d_{\text{TV}}(\hat{\mathbf{p}}(Y^n, U), \mathbf{p}_Z) > \frac{\varepsilon}{10}) \leq 1/100$ by our assumption for the estimator (Π, \hat{p}) . Noting that $d_{\text{TV}}(\mathbf{p}_z, \mathbf{p}_{z'}) \leq 2\varepsilon$ for every $z, z' \in \{-1, +1\}^k$, we get

$$\mathbb{E}[d_{\text{TV}}(\mathbf{p}_{\hat{Z}}, \mathbf{p}_Z)] \leq \frac{99}{100} \cdot \frac{2\varepsilon}{12} + \frac{1}{100} \cdot 2\varepsilon < \frac{\varepsilon}{5}.$$

Next, noting that $d_{\text{TV}}(\mathbf{p}_z, \mathbf{p}_{z'}) = (2\varepsilon/k) \sum_{i=1}^k \mathbb{1}_{\{z_i \neq z'_i\}}$, the previous inequality yields

$$(15) \quad \frac{1}{k} \sum_{i=1}^k \Pr(\hat{Z}_i \neq Z_i) < \frac{1}{10}.$$

Furthermore, since the Markov relation $Z_i - (Y^n, U) - \hat{Z}_i$ holds for all i , by the data processing inequality

$$I(Z_i \wedge Y^n | U) = I(Z_i \wedge Y^n U) \geq I(Z_i \wedge \hat{Z}_i) = 1 - H(Z_i | \hat{Z}_i),$$

where the first identity is by the independence of U and Z_i . Further, using Fano's inequality we get

$$H(Z_i | \hat{Z}_i) \leq h(\Pr(\hat{Z}_i \neq Z_i)),$$

where $h(x) = -x \log x - (1-x) \log(1-x)$ is the binary entropy function. Upon combining these bounds and using the concavity of binary entropy, its monotonicity in $[0, 1/2]$, and (15), we obtain

$$\begin{aligned} \sum_{i=1}^k I(Z_i \wedge Y^n | U) &\geq k - \sum_{i=1}^k h(\Pr(\hat{Z}_i \neq Z_i)) \geq k \left(1 - h\left(\frac{1}{k} \sum_{i=1}^k \Pr(\hat{Z}_i \neq Z_i)\right)\right) \\ &\geq k(1 - h(1/10)) > \frac{k}{2}, \end{aligned}$$

proving the result. \square

We conclude this section by showing how our proof of Theorem 1 implies the claimed result on estimation under the ℓ_2 distance, Corollary 3.

PROOF OF COROLLARY 3. Note that, by the Cauchy–Schwarz inequality, a lower bound on estimation for distributions over domain \mathcal{X} to total variation distance ε implies a lower bound to ℓ_2 distance $\varepsilon/\sqrt{|\mathcal{X}|}$, *i.e.*, with a square root of the domain size factor loss in the distance parameter. We will use this to derive our lower bounds under ℓ_2 distance: first, by the above it is easy to see that for $0 < \varepsilon \leq \frac{1}{4\sqrt{2k}}$, Theorem 1 implies a lower bound of $\Omega\left(\frac{k}{\varepsilon^2 \|\mathcal{W}\|_*}\right)$ users for learning under any set of constraints \mathcal{W} .

However, for larger values of ε , we cannot directly use the result, as $\sqrt{2k}\varepsilon > 1/4$ and our result does not apply. However, we can choose in that case a subset $\mathcal{X}' \subseteq [2k]$ of the domain of size $|\mathcal{X}'| = 2 \lfloor 1/(32\varepsilon^2) \rfloor$, and embed our (total variation) lower bound in this domain. One can check that this will indeed result in a lower bound of $\Omega\left(\frac{k}{\varepsilon^2 \|\mathcal{W}\|_*}\right)$ users, for a ℓ_2 distance parameter ε .

Combining the two cases yields a general lower bound for ℓ_2 estimation under \mathcal{W} ; instantiating the bound to \mathcal{W}_ϱ and \mathcal{W}_ℓ yields Corollary 3. \square

4. Interactive testing under information constraints.

4.1. *The general bound: Proof of Theorem 2.* We proceed as in [1] and derive a lower bound for testing under information constraints using Le Cam’s two-point method. Specifically, let Z be distributed uniformly over $\{-1, +1\}^k$. Note that for any (n, ε) -test (Π, T) for $(2k, \varepsilon)$ -identity testing with transcript (Y^n, U) , we must have

$$\frac{1}{2} \Pr_{\mathbf{u}^n}(T(Y^n, U) = 0) + \frac{1}{2} \mathbb{E} \left[\Pr_{\mathbf{p}_Z^n}(T(Y^n, U) = 1) \right] \geq \frac{99}{100},$$

where \mathbf{p}_z is given by (5). It follows that we can find a fixed realization of U for which the same bound holds; thus, there exists a deterministic interactive protocol Π' for which the same bound holds. In the remainder of the section, we will assume that our protocol Π is deterministic and denote by \mathbf{q}^{Y^n} and \mathbf{u}^{Y^n} , respectively, the probabilities distribution of the transcript under input distribution $\mathbb{E}[\mathbf{p}_Z^n]$ and \mathbf{u}^{Y^n} .

Using standard relations between Bayesian error for binary hypothesis testing with uniform prior and the total variation distance, along with Pinsker’s inequality, we get that $D(\mathbf{q}^{Y^n} \parallel \mathbf{u}^{Y^n}) \geq c$ for a constant $c > 0$. It remains to bound this KL divergence, which we do after the following remark.

REMARK 4 (Comparison with decoupled chi square bounds). Before proceeding, we draw contrast with the *decoupled chi square divergence* bound technique developed [1]. Their first step was to bound Kullback–Leibler divergence with chi square divergence and then handle the latter using the so-called “Ingster’s method.” While very powerful for SMP protocols, this technique requires us to handle the correlation of the vector Y^n directly, which is a formidable task for interactive protocols. Below, we proceed by first applying the chain rule to the Kullback–Leibler divergence to break it into contribution for each sample and then bounding it by the chi square divergence. As will be seen below, this allows us to work with one sample at a time. Further, switching to chi square divergence relates distances between distributions to a bilinear form involving $H(W)$ s. Thus, we can relate distances between distributions to the spectrum of $H(W)$, a relation that was exploited to establish a separation between public- and private-coin protocols in [1]. But now we need to handle the posterior distribution of the message Y_t given the past Y^{t-1} , under the mixture distribution.

Proceeding with the proof, by the chain rule for Kullback–Leibler divergence, we can write

$$(16) \quad D(\mathbf{q}^{Y^n} \parallel \mathbf{u}^{Y^n}) = \sum_{t=0}^{n-1} \mathbb{E}_{\mathbf{q}^{Y^t}} \left[D(\mathbf{q}^{Y_{t+1}|Y^t} \parallel \mathbf{u}^{Y_{t+1}|Y^t}) \right]$$

We now present the key technical component of our testing bound in the result below.

LEMMA 2 (Per-round divergence bound). *For every $0 \leq t \leq n - 1$, we have*

$$(17) \quad \mathbb{E}_{\mathbf{q}^{Y^t}} \left[D(\mathbf{q}^{Y_{t+1}|Y^t} \parallel \mathbf{u}^{Y_{t+1}|Y^t}) \right] \leq \frac{4\varepsilon^2}{(\ln 2)k} \|\mathcal{W}\|_{\text{op}} \cdot \sum_{i=1}^k I(Z_i \wedge Y^t).$$

PROOF. Fix t . As chi square divergence upper bounds KL divergence, we have

$$\begin{aligned} \mathbb{E}_{\mathbf{q}^{Y^t}} \left[D(\mathbf{q}^{Y_{t+1}|Y^t} \parallel \mathbf{u}^{Y_{t+1}|Y^t}) \right] &\leq \mathbb{E}_{\mathbf{q}^{Y^t}} \left[d_{\chi^2}(\mathbf{q}^{Y_{t+1}|Y^t} \parallel \mathbf{u}^{Y_{t+1}|Y^t}) \right] \\ &= 2k \cdot \mathbb{E}_{\mathbf{q}^{Y^t}} \left[\sum_{y \in \mathcal{Y}} \frac{(\sum_x W^{Y^t}(y|x)(\mathbf{q}_{X_{t+1}|Y^t}(x) - \frac{1}{2k}))^2}{\sum_x W^{Y^t}(y|x)} \right]. \end{aligned}$$

Upon noting that, for all $i \in [k]$,

$$\mathbf{q}_{X_{t+1}|Y^t}(2i-1) = \frac{1 + 2\varepsilon\mathbb{E}[Z_i | Y^t]}{2k}, \quad \mathbf{q}_{X_{t+1}|Y^t}(2i) = \frac{1 - 2\varepsilon\mathbb{E}[Z_i | Y^t]}{2k},$$

we get

$$\begin{aligned} \mathbb{E}_{\mathbf{q}^{Y^t}} \left[\mathbb{D} \left(\mathbf{q}^{Y_{t+1}|Y^t} \| \mathbf{u}^{Y_{t+1}|Y^t} \right) \right] &\leq \frac{2\varepsilon^2}{k} \mathbb{E}_{\mathbf{q}^{Y^t}} \left[\sum_{y \in \mathcal{Y}} \frac{\left(\sum_{i=1}^k \mathbb{E}[Z_i | Y^t] (W^{Y^t}(y | 2j-1) - W^{Y^t}(y | 2j)) \right)^2}{\sum_x W^{Y^t}(y | x)} \right] \\ (18) \qquad \qquad \qquad &= \frac{2\varepsilon^2}{k} \mathbb{E}_{\mathbf{q}^{Y^t}} \left[\mathbb{E}[Z | Y^t]^T H(W^{Y^t}) \mathbb{E}[Z | Y^t] \right]. \end{aligned}$$

We can now bound

$$(19) \quad \mathbb{E}[Z | Y^t]^T H(W^{Y^t}) \mathbb{E}[Z | Y^t] \leq \left\| H(W^{Y^t}) \right\|_{\text{op}} \cdot \left\| \mathbb{E}[Z | Y^t] \right\|_2^2,$$

where $\|\cdot\|_{\text{op}}$ denotes the operator norm (or the maximum eigenvalue) of the p.s.d. matrix $H(W^{Y^t})$.

We now recall a useful observation of [Diakonikolas et al. \[22\]](#), which will allow us to connect these conditional expectations to the mutual information between the Z_i s and Y^t . For a random variable V taking values in $\{-1, +1\}$, $\mathbb{E}[V] = 2(\Pr(V=1) - 1/2)$. Thus, by Pinsker's inequality, denoting by U a uniform random variable over $\{-1, +1\}$, we have

$$1 - H(V) = \mathbb{D}(P_V \| P_U) \geq 2 \ln 2 \left(\Pr(V=1) - \frac{1}{2} \right)^2 = \frac{\ln 2}{2} \mathbb{E}[V]^2.$$

Plugging $P_V = P_{Z_i|Y^t}$ into this bound, we get

$$(20) \quad \mathbb{E} \left[\left\| \mathbb{E}[Z | Y^t] \right\|_2^2 \right] = \sum_{i=1}^k \mathbb{E} \left[\mathbb{E}[Z_i | Y^t]^2 \right] \leq \frac{2}{\ln 2} \sum_{i=1}^k (1 - H(Z_i|Y^t)) = \frac{2}{\ln 2} \sum_{i=1}^k I(Z_i \wedge Y^t).$$

By combining (18), (19), and (20), we obtain

$$\mathbb{E}_{\mathbf{q}^{Y^t}} \left[\mathbb{D} \left(\mathbf{p}^{Y_{t+1}|Y^t} \| \mathbf{u}^{Y_{t+1}|Y^t} \right) \right] \leq \frac{4\varepsilon^2}{(\ln 2)k} \|\mathcal{W}\|_{\text{op}} \cdot \sum_{i=1}^k I(Z_i \wedge Y^t),$$

proving the lemma. \square

REMARK 5 (Is the bound above tight?). A key heuristic underlying our learning bound is the thesis that when the information gathered about each coordinate is small, the information revealed in the next iteration cannot be too much. The bound in (18) provides a quantitative counterpart for this heuristic. The crux of the previous bound is (19), which relates the Kullback–Leibler divergence to a per-coordinate information quantity $\sum_{i=1}^k \mathbb{E} \left[\mathbb{E}[Z_i | Y^t]^2 \right]$. As for learning, this enables us to circumvent the difficulty in handling the joint correlation between Z_i s, when conditioned on Y^t . In fact, this step can be weak, as we shall see in a later section below. Nonetheless, it allows us to relate the distance between message distribution induced by the mixture distribution and the uniform distribution to the average information quantity of [Theorem 4](#). This connection between learning and testing bounds is interesting in its own right.

Upon combining Lemma 2 with (16), summing over t , and using the average information bound of Theorem 4, we get

$$D(\mathbf{q}^{Y^n} \|\mathbf{u}^{Y^n}) \leq \frac{16\varepsilon^4 n^2}{(\ln 2)k^2} \|\mathcal{W}\|_{\text{op}} \|\mathcal{W}\|_*,$$

which gives the desired bound $n = \Omega(k/(\sqrt{\|\mathcal{W}\|_{\text{op}} \|\mathcal{W}\|_* \varepsilon^2}))$ for $D(\mathbf{q}^{Y^n} \|\mathbf{u}^{Y^n})$ to be $\Omega(1)$. This proves Theorem 2.

4.2. *A bound for $\|H(W)\|_{\text{op}}$.* Next, we record a general property of the matrix $H(W)$, which is crucial for handling communication constraints but more generally holds for arbitrary information constraints.

LEMMA 3 (Operator-norm bound). *For any channel $W : \mathcal{X} \rightarrow \mathcal{Y}$, we have $\|H(W)\|_{\text{op}} \leq 2$.*

PROOF. By the Gershgorin circle theorem, the eigenvalue of a matrix is at most the largest sum of absolute entries of a row. Now, for any $i \in [k]$,

$$\begin{aligned} \|H(W)\|_{\text{op}} &\leq \sum_{j=1}^k \left| \sum_{y \in \mathcal{Y}} \frac{(W(y | 2i-1) - W(y | 2i))(W(y | 2j-1) - W(y | 2j))}{\sum_{x \in [k]} W(y | x)} \right| \\ &\leq \sum_{y \in \mathcal{Y}} |W(y | 2i-1) - W(y | 2i)| \left(\frac{\sum_{j=1}^k |W(y | 2j-1) - W(y | 2j)|}{\sum_{x \in [k]} W(y | x)} \right) \\ &\leq \sum_{y \in \mathcal{Y}} |W(y | 2i-1) - W(y | 2i)| \leq 2, \end{aligned}$$

where in the last step we used the fact that $\sum_{y \in \mathcal{Y}} W(y | x) = 1$ for all $x \in [2k]$. \square

4.3. *The general bound can be tightened.* We now present a family of channels for which the general lower bound of Theorem 2 and the true sample complexity are a factor $k^{1/4}$ apart. Nonetheless, we can follow the proof of the lower bound instead of directly applying the statement and establish the tight lower bounds. In other words, the general proof methodology we have goes beyond the specific form in Theorem 2.

Let $\mathcal{X} = [2k]$, $\mathcal{Y} := \mathcal{X} \cup \{\perp\}$, and $\eta \in (0, 1)$. The family of *partial erasure* channels $\mathcal{W}_{\perp}^{\eta}$ consists of $2k$ channels from \mathcal{X} to \mathcal{Y} , indexed by elements of \mathcal{X} such that for $x^* \in \mathcal{X}$,

$$W_{x^*}(y | x) = \begin{cases} 1, & \text{if } y = x = x^*, \\ \eta, & \text{if } y = x \text{ and } x \neq x^*, \\ 1 - \eta, & \text{if } y = \perp \text{ and } x \neq x^*. \end{cases}$$

Namely, the channel W_{x^*} sends the symbol x^* exactly and erases every other symbol $x \neq x^*$ with probability $1 - \eta$. Moreover, the channel matrix $H(W_{x^*})$ (see (6)) is diagonal with the i th diagonal entry equal to $1 + \eta + \frac{1-\eta}{2k-1}$ for $x^* \notin \{2i-1, 2i\}$, and is equal to 2η otherwise. For $\eta = 1/\sqrt{k}$, we can verify that

$$(21) \quad 2 \leq \|H(W_x)\|_F \leq 2\sqrt{2}, \quad 2\sqrt{k} \leq \|H(W_x)\|_* \leq 2\sqrt{k} + 2, \quad 1 \leq \|H(W_x)\|_{\text{op}} \leq 2.$$

Using these quantities to evaluate the lower bounds in Table 1, we get a lower bound of $\Omega(k/\varepsilon^2)$ for the sample complexity of testing under SMP public-coin protocols. We now provide a simple SMP private-coin protocols that achieves this bound.

We set all the channels to be W_1 , the channel that erases all symbols except symbol $x = 1$. This can be converted into an erasure channel with erasure probability $1 - \eta$ by simply converting the Y_t s that are equal to 1 to \perp with probability $1 - \eta$. With this modification, the channel output for the users are independent and identically distributed, and $\Pr(Y_t = x \mid Y_t \neq \perp) = \mathbf{p}(x)$, where \mathbf{p} is the underlying distribution. Therefore, with $O(\frac{\sqrt{k}}{\varepsilon^2} \cdot \frac{1}{\eta})$ users we can obtain $O(\frac{\sqrt{k}}{\varepsilon^2})$ samples and use a centralized uniformity test. Upon combining these bounds we get the following result.

PROPOSITION 1. *The sample complexity of noninteractive $(2k, \varepsilon)$ -uniformity testing under local constraints $\mathcal{W}_\perp^{1/\sqrt{k}}$ is $\Theta(k/\varepsilon^2)$ for both public-coin and private-coin protocols.*

Next, using the norm bounds in (21) to evaluate the general lower bound of Theorem 2 gives a lower bound of $\Omega(k^{3/4}/\varepsilon^2)$ for sample complexity of uniformity testing under \mathcal{W} , using interactive protocols.

Below we will see that this bound is not tight, showing that the general bound of Theorem 2 can be loose for specific families. Nonetheless, we show that the proof of Theorem 2 can be adapted easily to establish the optimal sample complexity $\Theta(k/\varepsilon^2)$ for interactive protocols, matching Proposition 2. This will be achieved by an improved evaluation for $\mathbb{E}[Z \mid Y^t]^T H(W_{Y^t}) \mathbb{E}[Z \mid Y^t]$ in (19).

PROPOSITION 2. *Interactive $(2k, \varepsilon)$ -uniformity testing under local constraints $\mathcal{W}_\perp^{1/\sqrt{k}}$ requires at least $\Omega(k/\varepsilon^2)$ users.*

PROOF. We proceed as in the proof of Lemma 2 until (18) and then replace the bound (19) with a more precise one. Specifically, we note that different choices of x simply allow us to permute the diagonal entries of the diagonal matrix $H(W_x)$. Therefore, we get

$$\begin{aligned} & \mathbb{E}[Z \mid Y^t]^T H(W_{Y^t}) \mathbb{E}[Z \mid Y^t] \\ & \leq \left(1 + \eta + \frac{1 - \eta}{2k - 1}\right) \max_{1 \leq i \leq k} \mathbb{E}[Z_i \mid Y^t]^2 + \eta \left(\|\mathbb{E}[Z_i \mid Y^t]\|^2 - \max_{1 \leq i \leq k} \mathbb{E}[Z_i \mid Y^t]^2 \right) \\ & \leq 2 \|\mathbb{E}[Z_i \mid Y^t]\|_\infty^2 + \frac{1}{\sqrt{k}} \|\mathbb{E}[Z_i \mid Y^t]\|_2^2. \end{aligned}$$

By proceeding in a similar manner as (20), we get

$$\mathbb{E}[Z \mid Y^t]^T H(W_{Y^t}) \mathbb{E}[Z \mid Y^t] \leq \frac{4}{\ln 2} \left(\max_{1 \leq i \leq k} I(Z_i \wedge Y^t) + \frac{1}{\sqrt{k}} \sum_{i=1}^k I(Z_i \wedge Y^t) \right).$$

Next, we take recourse to Remark 2 to get a bound for information $I(Z_i \wedge Y^t)$ about each coordinate. We have

$$I(Z_i \wedge Y^t) \leq \frac{8\varepsilon^2}{k} \sum_{j=1}^{t-1} \mathbb{E}[H(W_{Y^j})_{i,i}],$$

which when combined with the previous bound yields

$$\begin{aligned} \mathbb{E}[Z \mid Y^t]^T H(W_{Y^t}) \mathbb{E}[Z \mid Y^t] & \leq \frac{32\varepsilon^2}{(\ln 2)k} \sum_{j=1}^{t-1} \left(\max_{1 \leq i \leq k} \mathbb{E}[H(W_{Y^j})_{i,i}] + \frac{1}{\sqrt{k}} \sum_{i=1}^k \mathbb{E}[H(W_{Y^j})_{i,i}] \right) \\ & \leq \frac{320\varepsilon^2(t-1)}{(\ln 2)k}. \end{aligned}$$

It follows from (18) that

$$D(\mathbf{q}^{Y^n} \parallel \mathbf{u}^{Y^n}) \leq \frac{320}{\ln 2} \cdot \frac{\varepsilon^4 n^2}{k^2},$$

which completes the proof. \square

We close by noting that the proof above provides yet another example of an application where our lower bound technique yields a tight bound; we believe there can be many more. We note that even in this example we related the distance to the per-coordinate information $I(Z_i \wedge Y^t)$. It will be interesting to seek examples where our technique yields a tight bound without using an upper bound for (18) in terms of per-coordinate information quantities.

4.4. *A separation between non-interactive and interactive protocols.* We will now show that there exists a “natural” family of local constraints for which the sample complexity of interactive protocols is much smaller than that of noninteractive protocols for $(2k, \varepsilon)$ -uniformity testing. To the best of our knowledge, this is the first example of a separation between interactive and noninteractive protocols for a basic hypothesis testing problem.

The search for a suitable family of channels. To describe how we identify the family \mathcal{W} that yields the desired separation, we first revisit the proof of Lemma 2. As noted before, the only possibly loose step in the argument is (19). As we saw in Section 4.3, this bound can be improved by carefully examining the spectrum of $H(W)$ for different W s. Our goal in this section is to construct an example where the bound in (19) is tight, but $\|\mathcal{W}\|_F$ is maximally separated from $\sqrt{\|\mathcal{W}\|_* \|\mathcal{W}\|_{\text{op}}}$. Towards this, a key observation we have is that for (19) to be tight, we should have a channel family that such that for each $\mathbb{E}[Z \mid Y^t]$, we can find a channel W such that the maximum eigenvalue of W is roughly $\|\mathcal{W}\|_{\text{op}}$ and it corresponds to an eigenvector that is aligned with $\mathbb{E}[Z \mid Y^t]$.

Specifically, we seek a set of channels \mathcal{W} for which (a) there is a large gap between $\|\mathcal{W}\|_F$ and $\sqrt{\|\mathcal{W}\|_{\text{op}} \|\mathcal{W}\|_*}$; (b) there is a noninteractive protocol with sample complexity $O(k/\varepsilon^2 \|\mathcal{W}\|_F)$; and (c) there is an interactive protocol with sample complexity $O(k/\varepsilon^2 \sqrt{\|\mathcal{W}\|_{\text{op}} \|\mathcal{W}\|_*})$. In view of the heuristic observation above, we seek \mathcal{W} such that we can assign the maximum eigenvalue of $H(W)$ in any direction of our choice, by appropriately choosing $W \in \mathcal{W}$. In the previous section, we designed a set of channels that satisfy (a) and (b). However, (c) did not hold since (19) is not tight as we could only assign the maximum eigenvalue of $H(W)$ to one of the standard basis vectors, and to no other direction.

We meet the objectives above with channels that release membership queries for particular sets of our choice. We will also have a leakage component to introduce an eigenspace with a small eigenvalue to ensure a large gap in different norms of interest to us. We now formalize this family below.

For $\eta \in [0, 1)$, $u \in [0, 1]^{2k}$, and $\mathcal{Y} := [2k] \cup \{\mathbf{1}^*, \mathbf{0}^*\}$, the *leaky-query* channel W_u^η for an input $x \in [2k]$ outputs x with probability η ; otherwise it outputs $\mathbf{1}^*$ and $\mathbf{0}^*$ with probability u_x and $1 - u_x$ respectively. For our scheme, we will use u_x that has all the entries for coordinates in a set S equal to 1 and outside it equal to 0, corresponding to a membership query for S . Let $\mathcal{W}_\varepsilon^\eta = \{W_u^\eta : u \in [0, 1]^{2k}\}$

$$W_u(y \mid x) = \begin{cases} \eta, & \text{if } y = x, \\ (1 - \eta)u_x, & \text{if } y = \mathbf{1}^*, \\ (1 - \eta)(1 - u_x), & \text{if } y = \mathbf{0}^*. \end{cases}$$

Throughout this section, we will consider $\eta = 1/\sqrt{k}$. We begin by evaluating the required norms for this family.

LEMMA 4.

$$(22) \quad 2 \leq \left\| \mathcal{W}_{\epsilon}^{1/\sqrt{k}} \right\|_F \leq 2\sqrt{2}, \quad 2\sqrt{k} \leq \left\| \mathcal{W}_{\epsilon}^{1/\sqrt{k}} \right\|_* \leq 2\sqrt{k} + 2, \quad \left\| \mathcal{W}_{\epsilon}^{1/\sqrt{k}} \right\|_{\text{op}} = 2.$$

PROOF. By the definition of W_u , we obtain for $i_1, i_2 \in [k]$ that

$$H(W_u)_{i_1, i_2} = \sum_{y \in [2k] \cup \{\mathbf{1}^*, \mathbf{0}^*\}} \frac{(W_u(y | 2i_1 - 1) - W_u(y | 2i_1))(W_u(y | 2i_2 - 1) - W_u(y | 2i_2))}{\sum_{x \in [2k]} W_u(y | x)}.$$

Note that for every $u \in [0, 1]^{2k}$ and $y \in [2k]$, $\sum_{x \in [2k]} W_u(y | x) = W_u(y | y) = \eta$ and

$$(W_u(y | 2i_1 - 1) - W_u(y | 2i_1))(W_u(y | 2i_2 - 1) - W_u(y | 2i_2)) = \begin{cases} \eta^2, & \text{if } i_1 = i_2 = \lceil y/2 \rceil, \\ 0, & \text{otherwise.} \end{cases}$$

Further, for $y \in \{\mathbf{1}^*, \mathbf{0}^*\}$, we have

$$\begin{aligned} & (W_u(y | 2i_1 - 1) - W_u(y | 2i_1))(W_u(y | 2i_2 - 1) - W_u(y | 2i_2)) \\ &= (1 - \eta)^2 (u_{2i_1 - 1} - u_{2i_1})(u_{2i_2 - 1} - u_{2i_2}), \end{aligned}$$

and

$$\sum_{x \in [2k]} W_u(\mathbf{1}^* | x) = (1 - \eta) \sum_{x \in [2k]} u_x, \quad \sum_{x \in [2k]} W_u(\mathbf{0}^* | x) = (1 - \eta) \sum_{x \in [2k]} (1 - u_x).$$

Upon combining these bounds, we get

$$H(W_u) = 2\eta I_k + (1 - \eta)\delta(u)\delta(u)^T,$$

where for all $i \in [k]$,

$$\delta(u)_i = (u_{2i-1} - u_{2i}) \sqrt{\frac{2k}{(\|u\|_1)(2k - \|u\|_1)}}.$$

From this, it can be verified that $H(W_u)$ has eigenvalues $2\eta + (1 - \eta)\|\delta(u)\|_2^2$ with multiplicity one and 2η with multiplicity $k - 1$. Also, we have $\|\delta(u)\|_2^2 \leq 2$, and moreover that equality holds when $|u_{2i-1} - u_{2i}| = 1$ for all $i \in [k]$ and $\sum_{i \in [k]} u(2i) = k/2$. Setting the value of η to be $1/\sqrt{k}$ establishes the claimed bounds. \square

The following two results establish our claim of a separation between noninteractive schemes and interactive scheme for $(2k, \epsilon)$ -uniformity testing under local constraints $\mathcal{W}_{\epsilon}^{1/\sqrt{k}}$.

PROPOSITION 3. *Noninteractive $(2k, \epsilon)$ -uniformity testing under $\mathcal{W}_{\epsilon}^{1/\sqrt{k}}$ has sample complexity $\Theta(k/\epsilon^2)$.*

PROOF. The lower bound can be shown by plugging $\|\mathcal{W}_{\epsilon}^{1/\sqrt{k}}\|_F \leq 2\sqrt{2}$ in the lower bound for noninteractive schemes obtained in [1] (see Table 1). For the upper bound, note that with probability $1/\sqrt{k}$ we observe a sample from $[2k]$ from the underlying distribution. Ignoring the binary responses and using the same argument as that in the previous section, we get a (matching) upper bound for the number of samples needed by this private-coin SMP protocol. \square

Our next result provides the last piece to establish our separation, by showing that interactive protocols can do strictly better than the noninteractive ones.¹¹

PROPOSITION 4. *For $\varepsilon \geq 8/k^{1/8}$, interactive $(2k, \varepsilon)$ -uniformity testing under $\mathcal{W}_\varepsilon^{1/\sqrt{k}}$ has sample complexity $\Theta(k^{3/4}/\varepsilon^2)$.*

PROOF. The lower bound can be obtained by plugging the bounds $\|\mathcal{W}_\varepsilon^{1/\sqrt{k}}\|_* \leq 2\sqrt{k} + 2$ and $\|\mathcal{W}_\varepsilon^{1/\sqrt{k}}\|_{\text{op}} = 2$ into Theorem 2. For the upper bound, we first present a high-level overview of our scheme, and then provide the details.

Sketch of the scheme. Observe that when we sample $X \sim \mathbf{p}$ for a distribution \mathbf{p} over $[2k]$, we have $\mathbb{E}[\mathbf{p}(X)] = \sum_x \mathbf{p}(x)^2 = \|\mathbf{p}\|_2^2$. If $d_{\text{TV}}(\mathbf{p}, \mathbf{u}) \geq \varepsilon$, then by the Cauchy–Schwarz inequality $\|\mathbf{p}\|_2^2 \geq (1 + 4\varepsilon^2)/2k$, whereas $\|\mathbf{u}\|_2^2 = 1/k$. Therefore, when we sample from a distribution that is far from uniform, the expected probability of the observed sample is also larger than that under the uniform distribution. Our protocol exploits this and proceeds in two stages. In the first stage, we select any channel in $\mathcal{W}_\varepsilon^{1/\sqrt{k}}$ and use it for a fraction of the users. Let S be the set of outputs from these channels that are in $[2k]$. Now, $\mathbf{u}(S) = |S|/2k$, but using the motivation above we can hope that, for a \mathbf{p} that is far from \mathbf{u} , $\mathbf{p}(S)$ will be noticeably larger. In the next stage, the remaining players choose $u_x = \mathbf{1}_{\{x \in S\}}$. Now, $\mathbf{u}(\mathbf{1}^*) = (1 - \eta)\mathbf{u}(S)$, and $\mathbf{p}(\mathbf{1}^*) = (1 - \eta)\mathbf{p}(S)$, and we will perform a binary hypothesis test to separate these two cases.

Detailed argument. The rest of the argument makes the intuition above formal; for technical reasons, the resulting protocol will actually involve three stages instead of two, with an additional stage for verifying that $\|\mathbf{p}\|_\infty$ is not too large. We assume that there are $n = Ck^{3/4}/\varepsilon^2$ users, for some constant $C > 0$ which can be taken to be $C = 4840$, and $k \geq \lceil C^2/2^{14} \rceil = 1430$. Our protocol proceeds as follows:

1. For the first $n/3$ users, choose the channel W_0 , corresponding to a simple erasure channel with erasure probability $1 - \eta$. Among the leaked outputs, if there is a symbol appearing more than twice, return 1 (not uniform) and ignore the next two stages.
2. For the second $n/3$ users, choose again the channel W_0 and gather a set $S \subseteq [2k]$ of “leaked” samples in this stage.
3. For the last $n/3$ users, choose the channel W_u for u corresponding to the indicator vector of S , in order to estimate $\mathbf{p}(S)$ to an additive accuracy $\frac{\varepsilon^2}{4}\mathbb{E}_\mathbf{u}[\mathbf{u}(S)]$, via the binary responses.

Step 1. The first $n/3$ users are used to test whether $\|\mathbf{p}\|_\infty > 22\sqrt{k}/n$ (which for our choice of n can only hold when \mathbf{p} is not uniform). This will be useful to bound the variance of $\mathbf{p}(S)$ in later steps. We show that with probability exceeding $9/10$, the protocol proceeds to the second stage only when $\|\mathbf{p}\|_\infty \leq 22\sqrt{k}/n$.

On the one hand, suppose that $\|\mathbf{p}\|_\infty > 22\sqrt{k}/n$, and consider x^* such that $\mathbf{p}(x^*) > 22\sqrt{k}/n$. The number X of appearances of x^* in these first $n/3$ channel outputs has mean

¹¹For simplicity, we only provide a protocol for the case of $\varepsilon = \Omega(1/k^{1/8})$, which is enough for our purposes. We believe that handling smaller values of the distance parameter is possible, but would require a more involved protocol and analysis.

$n\mathbf{p}(x^*)/(3\sqrt{k}) > 22/3$. Using a Chernoff bound,¹² it can be seen that the probability that x^* appears less than three times is at most

$$\Pr\left(X < \left(1 - \frac{13}{22}\right)\mathbb{E}[X]\right) \leq \left(\frac{e^{-13/22}}{(9/22)^{9/22}}\right)^{22/3} \leq \frac{1}{5}.$$

Therefore, if $\|\mathbf{p}\|_\infty > 22\sqrt{k}/n$ (which can only hold if \mathbf{p} is not uniform), we exit in the first stage with probability exceeding $4/5$.

On the other hand, note that the number M of leaked samples follows a Binomial distribution with parameters $n/3$ and η . Under the uniform distribution, by the birthday paradox for s -way collisions (see, e.g., [42, Theorem 2]), the probability to observe a symbol at least 3 times is at most

$$\frac{1}{(2k)^2} \binom{M}{3} \leq \frac{3M^3}{16k^2}$$

while by Chebychev's inequality the probability that M exceeds $n\eta = n/\sqrt{k}$ is at most $\sqrt{k}/(3n)$. Combining the two, the probability to observe any symbol more than twice if the distribution is uniform is at most

$$\frac{\sqrt{k}}{3n} + \frac{3(n/\sqrt{k})^3}{16k^2} = \frac{\varepsilon^2}{3Ck^{1/4}} + \frac{3C^3}{16k^{11/4}\varepsilon^6} \leq \frac{1}{3Ck^{1/4}} + \frac{3C^3}{2^{22}k^2} \leq \frac{1}{3C} + \frac{192}{C} \leq \frac{1}{5}$$

where we used that $\varepsilon \geq 8/k^{1/8}$ in the first inequality, $k \geq C^2/2^{14}$ in the second, and $C \geq 962$ in the last. This shows that if the distribution is uniform the algorithm moves to the next step with probability at least $4/5$. Thus, we can hereafter assume that $\|\mathbf{p}\|_\infty < 22\sqrt{k}/n$; we will account for the probability $1/5$ of the failure of this property under uniform distribution at the end.

Step 2. Let N be the number of ‘‘leaked’’ samples in the second stage, namely N symbols are received without erasure in the second stage. It can be easily checked that $\mathbb{E}[N] = n/(3\sqrt{k})$ and $\text{Var}(N) < n/(3\sqrt{k})$. For $C \geq 1432$, by Chebychev's inequality we have $n/(4\sqrt{k}) \leq N \leq n/(2\sqrt{k})$ with probability at least $99/100$; below we proceed assuming this event holds and will account for the probability of its failure at the end.

Let $S \subseteq [2k]$ be the set of symbols of ‘‘leaked’’ samples in this step; note that $|S| \leq N$ (since some values may be repeated). By linearity of expectation, when the samples are generated from \mathbf{p} , we have

$$\mathbb{E}[\mathbf{p}(S)] = \sum_{i=1}^{2k} \mathbf{p}(i) \left(1 - (1 - \mathbf{p}(i))^N\right),$$

and $\mathbf{u}(S) = 1 - (1 - 1/(2k))^N$. When \mathbf{p} is ε -far from \mathbf{u} , we have $\|\mathbf{p}\|_2^2 \geq \frac{1+4\varepsilon^2}{2k}$, and

$$\mathbb{E}_{\mathbf{p}}[\mathbf{p}(S)] - \mathbb{E}_{\mathbf{u}}[\mathbf{u}(S)] = \left(1 - \frac{1}{2k}\right)^N \sum_{i=1}^{2k} \mathbf{p}(i) \left(1 - \left(\frac{2k}{2k-1}(1 - \mathbf{p}(i))\right)^N\right) \geq \frac{N\varepsilon^2}{k},$$

where the last inequality follows by using almost the same analysis as that in the proof of [39, Lemma 1]. Further, we have

$$\mathbb{E}_{\mathbf{u}}[\mathbf{u}(S)] = 1 - \left(1 - \frac{1}{2k}\right)^N \geq \frac{N}{4k}.$$

¹²Namely, $\Pr(X < (1 - \gamma)\mathbb{E}[X]) < \left(\frac{e^{-\gamma}}{(1-\gamma)^{1-\gamma}}\right)^{\mathbb{E}[X]}$ for $\gamma \in (0, 1)$.

since $N \leq k$, and therefore,

$$\mathbb{E}_{\mathbf{p}}[\mathbf{p}(S)] \geq (1 + 3\varepsilon^2/2)\mathbb{E}_{\mathbf{u}}[\mathbf{u}(S)]$$

whenever \mathbf{p} is ε -far from uniform.

Turning to the variance, define $\phi(x_1, \dots, x_N) := \mathbf{p}(\{x_1, \dots, x_N\})$. By the Efron–Stein inequality,

$$\text{Var}_{\mathbf{p}}[\mathbf{p}(S)] \leq \frac{1}{2} \sum_{j=1}^N \mathbb{E}_{\mathbf{p}} \left[\left(\phi(x_1, \dots, x_j, \dots, x_N) - \phi(x_1, \dots, x'_j, \dots, x_N) \right)^2 \right]$$

where x'_j is an independent copy of x_j . By symmetry and definition of ϕ , we can rewrite

$$\begin{aligned} \text{Var}_{\mathbf{p}}[\mathbf{p}(S)] &\leq \frac{N}{2} \mathbb{E}_{\mathbf{p}} \left[\left(\phi(x_1, x_2, \dots, x_N) - \phi(x'_1, x_2, \dots, x_N) \right)^2 \right] \\ &= N \sum_{1 \leq i \neq j \leq 2k} \mathbf{p}(i)^3 \mathbf{p}(j) \left((1 - \mathbf{p}(i))^{N-1} - (1 - \mathbf{p}(i) - \mathbf{p}(j))^{N-1} \right) \\ &\leq N \sum_{1 \leq i, j \leq 2k} \mathbf{p}(i)^3 \mathbf{p}(j) \left((1 - \mathbf{p}(i))^{N-1} - (1 - \mathbf{p}(i) - \mathbf{p}(j))^{N-1} \right) \\ &\leq N \|\mathbf{p}\|_3^3 \mathbb{E}_{\mathbf{p}}[\mathbf{p}(S)] \\ &\leq N \|\mathbf{p}\|_{\infty} \|\mathbf{p}\|_2^2 \mathbb{E}_{\mathbf{p}}[\mathbf{p}(S)]. \end{aligned}$$

When $\mathbf{p} = \mathbf{u}$, this gives $\text{Var}_{\mathbf{u}}[\mathbf{u}(S)] \leq \frac{N}{k^2} \mathbb{E}_{\mathbf{u}}[\mathbf{u}(S)]$. By Chebyshev's inequality, we then get that

$$(23) \quad \Pr_{X^n \sim \mathbf{u}^n} \left(\mathbf{u}(S) < \left(1 + \frac{\varepsilon^2}{2}\right) \mathbb{E}_{\mathbf{u}}[\mathbf{u}(S)] \right) \geq 9/10,$$

as long as $\varepsilon \geq 2\sqrt[4]{10}/k^{1/4}$, which follows from our assumption $\varepsilon \geq 8/k^{1/8}$.

Now, consider the case where \mathbf{p} is ε -far from uniform. Recalling our assumption that $\|\mathbf{p}\|_{\infty} \leq 22\sqrt{k}/n \leq 44/N$, we get

$$\mathbb{E}[\mathbf{p}(S)] = \sum_{i=1}^{2k} \mathbf{p}(i) (1 - (1 - \mathbf{p}(i))^N) \geq \frac{N}{88} \|\mathbf{p}\|_2^2.$$

This, along with our previous bound on the variance, yields the bound $\text{Var}_{\mathbf{p}}[\mathbf{p}(S)] \leq \frac{3872}{N} \mathbb{E}_{\mathbf{p}}[\mathbf{p}(S)]^2$, whereby Chebyshev's inequality implies that

$$(24) \quad \Pr_{X^n \sim \mathbf{p}^n} \left(\mathbf{p}(S) > (1 + \varepsilon^2) \mathbb{E}_{\mathbf{u}}[\mathbf{u}(S)] \right) \geq 9/10, \text{ if } d_{\text{TV}}(\mathbf{p}, \mathbf{u}) \geq \varepsilon,$$

as long as $N \geq 77440/\varepsilon^4$. One can check that this condition is satisfied for $n = Ck^{3/4}/\varepsilon^2$ in view of our condition $\varepsilon \geq 8/k^{1/8}$.

Step 3. In the third stage, the $n/3$ users all choose the channel W_u , where $u \in \{0, 1\}^{2k}$ is the indicator vector of S . We assume now that conditions (23) and (24), respectively, hold under the uniform and nonuniform distribution hypothesis. The goal of this stage is to distinguish between the two cases $\mathbf{p}(S) < (1 + \frac{1}{2}\varepsilon^2)\mathbb{E}_{\mathbf{u}}[\mathbf{u}(S)]$ and $\mathbf{p}(S) > (1 + \varepsilon^2)\mathbb{E}_{\mathbf{u}}[\mathbf{u}(S)]$, by estimating $\mathbf{p}(S)$ to an additive $\frac{\varepsilon^2}{4}\mathbb{E}_{\mathbf{u}}[\mathbf{u}(S)]$ with probability at least 99/100. Note that this is equivalent to estimating the mean of a Bernoulli random variable. Using Chebyshev's inequality, we can check $n \geq 720k^{3/4}/\varepsilon^2$ would suffice. Overall, accounting for all the good events above

that hold with probability $4/5$, $99/100$, $9/10$, and $99/100$ respectively, this protocol is correct by a union bound with probability at least $17/25$, and involves $n = O(k^{3/4}/\varepsilon^2)$ users, as desired. By explicit computation of the Binomial distribution probabilities, repeating the protocol 43 times on independent subsets of samples (*i.e.*, groups of users) and taking the majority output can then boost the success probability from $17/25$ to at least $99/100$ without changing the number of samples required up to this constant factor 43. \square

Acknowledgments. JA was supported by NSF-CCF-1846300 (CAREER), NSF-CCF-1815893, and a Google Faculty Research Award. CC was supported by an IBM Herman Goldstine Postdoctoral Fellowship. YL, ZS were supported by NSF-CCF-1846300 (CAREER). HT was supported by a grant from Robert Bosch Center for Cyber Physical Systems (RBCCPS), Indian Institute of Science.

REFERENCES

- [1] ACHARYA, J., CANONNE, C. L. and TYAGI, H. (2018). Inference under Information Constraints I: Lower Bounds from Chi-Square Contraction. *CoRR* **abs/1812.11476**. In submission. Full version of [4].
- [2] ACHARYA, J., CANONNE, C. L. and TYAGI, H. (2019a). Communication-Constrained Inference and the Role of Shared Randomness. In *Proceedings of the 36th International Conference on Machine Learning* (K. CHAUDHURI and R. SALAKHUTDINOV, eds.). *Proceedings of Machine Learning Research* **97** 30–39. PMLR, Long Beach, California, USA.
- [3] ACHARYA, J., CANONNE, C. L. and TYAGI, H. (2019b). Inference under Information Constraints II: Communication Constraints and Shared Randomness. *CoRR* **abs/1905.08302**. In submission. Full version of [2].
- [4] ACHARYA, J., CANONNE, C. L. and TYAGI, H. (2019c). Inference under Information Constraints: Lower Bounds from Chi-Square Contraction. In *Proceedings of the Thirty-Second Conference on Learning Theory* (A. BEYGELZIMER and D. HSU, eds.). *Proceedings of Machine Learning Research* **99** 3–17. PMLR, Phoenix, USA.
- [5] ACHARYA, J., SUN, Z. and ZHANG, H. (2018). Hadamard Response: Estimating Distributions Privately, Efficiently, and with Little Communication. In *Proceedings of the 22nd International Conference on Artificial Intelligence and Statistics (AISTATS’19)* **abs/1802.04705**.
- [6] ACHARYA, J. and SUN, Z. (2019). Communication Complexity in Locally Private Distribution Estimation and Heavy Hitters. In *Proceedings of the 36th International Conference on Machine Learning* (K. CHAUDHURI and R. SALAKHUTDINOV, eds.). *Proceedings of Machine Learning Research* **97** 51–60. PMLR, Long Beach, California, USA.
- [7] ACHARYA, J., CANONNE, C. L., FREITAG, C. and TYAGI, H. (2019a). Inference under Information Constraints III: Local Privacy Constraints. In preparation. Preprint available at arXiv:abs/1808.02174; Full version of [8].
- [8] ACHARYA, J., CANONNE, C. L., FREITAG, C. and TYAGI, H. (2019b). Test without Trust: Optimal Locally Private Distribution Testing. *Proceedings of the 22nd International Conference on Artificial Intelligence and Statistics, AISTATS 2019*.
- [9] ACHARYA, J., CANONNE, C. L., HAN, Y., SUN, Z. and TYAGI, H. (2020). Domain Compression and its Application to Randomness-Optimal Distributed Goodness-of-Fit. In *Proceedings of Thirty Third Conference on Learning Theory* (J. ABERNETHY and S. AGARWAL, eds.). *Proceedings of Machine Learning Research* **125** 3–40. PMLR.
- [10] AMIN, K., JOSEPH, M. and MAO, J. (2020a). Pan-Private Uniformity Testing. In *Proceedings of Thirty Third Conference on Learning Theory* (J. ABERNETHY and S. AGARWAL, eds.). *Proceedings of Machine Learning Research* **125** 183–218. PMLR.
- [11] AMIN, K., JOSEPH, M. and MAO, J. (2020b). Personal communication.
- [12] BARNES, L. P., CHEN, W. and ÖZGÜR, A. (2020). Fisher information under local differential privacy. *CoRR* **abs/2005.10783**.
- [13] BARNES, L. P., HAN, Y. and ÖZGÜR, A. (2019). Fisher Information for Distributed Estimation under a Blackboard Communication Protocol. In *ISIT 2704–2708*. IEEE.
- [14] BASSILY, R. (2019). Linear Queries Estimation with Local Differential Privacy. In *AISTATS. Proceedings of Machine Learning Research* **89** 721–729. PMLR.
- [15] BERRETT, T. B. and BUTUCEA, C. (2020). Locally private non-asymptotic testing of discrete distributions is faster using interactive mechanisms. *CoRR* **abs/2005.12601**.

- [16] BRAVERMAN, M., GARG, A., MA, T., NGUYEN, H. L. and WOODRUFF, D. P. (2016). Communication lower bounds for statistical estimation problems via a distributed data processing inequality. In *Symposium on Theory of Computing Conference, STOC'16* 1011–1020. ACM.
- [17] BUBECK, S., CHEN, S. and LI, J. (2020). Entanglement is Necessary for Optimal Quantum Property Testing. *CoRR* **abs/2004.07869**.
- [18] COVER, T. M. and THOMAS, J. A. (2006). *Elements of information theory*, Second ed. Wiley-Interscience [John Wiley & Sons], Hoboken, NJ. [MR2239987](#)
- [19] DAGAN, Y. and FELDMAN, V. (2020). Interaction is necessary for distributed learning with privacy or communication constraints. In *Symposium on Theory of Computing Conference, STOC'20* 450–462. ACM.
- [20] DANIELY, A. and FELDMAN, V. (2019). Locally Private Learning without Interaction Requires Separation. In *Advances in Neural Information Processing Systems 32* (H. Wallach, H. Larochelle, A. Beygelzimer, F. d'Alché-Buc, E. Fox and R. Garnett, eds.) 15001–15012. Curran Associates, Inc.
- [21] DIAKONIKOLAS, I., GRIGORESCU, E., LI, J., NATARAJAN, A., ONAK, K. and SCHMIDT, L. (2017). Communication-Efficient Distributed Learning of Discrete Distributions. In *Advances in Neural Information Processing Systems 30* 6394–6404.
- [22] DIAKONIKOLAS, I., GOULEAKIS, T., KANE, D. M. and RAO, S. (2019). Communication and Memory Efficient Testing of Discrete Distributions. In *Proceedings of the Thirty-Second Conference on Learning Theory* (A. BEYGEZIMER and D. HSU, eds.). *Proceedings of Machine Learning Research* **99** 1070–1106. PMLR, Phoenix, USA.
- [23] DUCHI, J. C., JORDAN, M. I. and WAINWRIGHT, M. J. (2013a). Local Privacy and Statistical Minimax Rates. *CoRR* **abs/1302.3203**. Latest version, v4 (2014). Full version of [24].
- [24] DUCHI, J. C., JORDAN, M. I. and WAINWRIGHT, M. J. (2013b). Local Privacy and Statistical Minimax Rates. In *54th Annual IEEE Symposium on Foundations of Computer Science, FOCS 2013* 429–438. IEEE Computer Society.
- [25] DUCHI, J. C., JORDAN, M. I. and WAINWRIGHT, M. J. (2018). Minimax optimal procedures for locally private estimation. *J. Amer. Statist. Assoc.* **113** 182–201. [MR3803452](#)
- [26] DUCHI, J. and ROGERS, R. (2019). Lower Bounds for Locally Private Estimation via Communication Complexity. In *Proceedings of the Thirty-Second Conference on Learning Theory* (A. BEYGEZIMER and D. HSU, eds.). *Proceedings of Machine Learning Research* **99** 1161–1191. PMLR, Phoenix, USA.
- [27] DWORK, C., MCSHERRY, F., NISSIM, K. and SMITH, A. (2006). Calibrating noise to sensitivity in private data analysis. In *Theory of cryptography. Lecture Notes in Comput. Sci.* **3876** 265–284. Springer, Berlin. [MR2241676](#)
- [28] ERLINGSSON, Ú., PIHUR, V. and KOROLOVA, A. (2014). Rappor: Randomized aggregatable privacy-preserving ordinal response. In *Proceedings of the 2014 ACM SIGSAC conference on computer and communications security* 1054–1067. ACM.
- [29] EVFIMIEVSKI, A. V., GEHRKE, J. and SRIKANT, R. (2003). Limiting privacy breaches in privacy preserving data mining. In *PODS* 211–222. ACM.
- [30] FISCHER, O., MEIR, U. and OSHMAN, R. (2018). Distributed Uniformity Testing. In *Proceedings of the 2018 ACM Symposium on Principles of Distributed Computing, PODC 2018* 455–464. ACM.
- [31] GOLDREICH, O. (2016). The uniform distribution is complete with respect to testing identity to a fixed distribution. *Electronic Colloquium on Computational Complexity (ECCC)* **23** 15.
- [32] HAN, Y., ÖZGÜR, A. and WEISSMAN, T. (2018). Geometric Lower Bounds for Distributed Parameter Estimation under Communication Constraints. *ArXiv e-prints* **abs/1802.08417v1**. First version (<https://arxiv.org/abs/1802.08417v1>).
- [33] HAN, Y., MUKHERJEE, P., ÖZGÜR, A. and WEISSMAN, T. (2018a). Distributed statistical estimation of high-dimensional and nonparametric distributions with communication constraints. Talk given at ITA 2018.
- [34] HAN, Y., MUKHERJEE, P., ÖZGÜR, A. and WEISSMAN, T. (2018b). Distributed Statistical Estimation of High-Dimensional and Non-parametric Distributions. In *Proceedings of the 2018 IEEE International Symposium on Information Theory (ISIT'18)* 506–510.
- [35] JOSEPH, M., MAO, J. and ROTH, A. (2020). Exponential Separations in Local Differential Privacy. In *Proceedings of the 2020 ACM-SIAM Symposium on Discrete Algorithms, SODA 2020* 515–527. SIAM.
- [36] JOSEPH, M., MAO, J., NEEL, S. and ROTH, A. (2019). The Role of Interactivity in Local Differential Privacy. In *60th Annual IEEE Symposium on Foundations of Computer Science, FOCS 2019* 94–105. IEEE Computer Society.
- [37] KAIROUZ, P., BONAWITZ, K. and RAMAGE, D. (2016). Discrete Distribution Estimation under Local Privacy. In *Proceedings of the 33rd International Conference on Machine Learning, ICML 2016. JMLR Workshop and Conference Proceedings* **48** 2436–2444. JMLR.org.

- [38] KASIVISWANATHAN, S. P., LEE, H. K., NISSIM, K., RASKHODNIKOVA, S. and SMITH, A. (2011). What can we learn privately? *SIAM J. Comput.* **40** 793–826. [MR2823508](#)
- [39] PANINSKI, L. (2008). A Coincidence-Based Test for Uniformity Given Very Sparsely Sampled Discrete Data. *IEEE Transactions on Information Theory* **54** 4750-4755.
- [40] SHAMIR, O. (2014). Fundamental limits of online and distributed algorithms for statistical learning and estimation. In *Advances in Neural Information Processing Systems 27* 163–171.
- [41] SMITH, A., THAKURTA, A. and UPADHYAY, J. (2017). Is interaction necessary for distributed private learning? In *2017 IEEE Symposium on Security and Privacy (SP)* 58–77. IEEE.
- [42] SUZUKI, K., TONIEN, D., KUROSAWA, K. and TOYOTA, K. (2006). Birthday paradox for multi-collisions. In *Information security and cryptology—ICISC 2006. Lecture Notes in Comput. Sci.* **4296** 29–40. Springer, Berlin. [MR2606360](#)
- [43] ULLMAN, J. (2018). Tight Lower Bounds for Locally Differentially Private Selection. *CoRR* [abs/1802.02638](#).
- [44] WANG, S., HUANG, L., WANG, P., NIE, Y., XU, H., YANG, W., LI, X. and QIAO, C. (2016). Mutual Information Optimally Local Private Discrete Distribution Estimation. *CoRR* [abs/1607.08025](#).
- [45] YE, M. and BARG, A. (2018). Optimal schemes for discrete distribution estimation under locally differential privacy. *IEEE Trans. Inform. Theory* **64** 5662–5676. [MR3832328](#)